



UK Health  
Security  
Agency

# **Remote Health Advice Syndromic Surveillance System Bulletin (England) 2022 Week 19**

## Key messages

### Data reported to: 15 May 2022

During week 19, NHS 111 calls and online assessments for respiratory indicators increased amongst children aged 5-14 years. NHS 111 calls for sore throat also increased in the 5-14 years age group. Diarrhoea and vomiting calls remained stable overall with numbers remaining elevated in the 5-14 years group.

## Syndromic indicators at a glance

**Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.**

Indicator	Trend <sup>1</sup>	Level
Total NHS 111 calls ( <b>Figure 1</b> )	No trend	No baseline
Total NHS 111 online ( <b>Figure 2</b> )	No trend	No baseline
Cold/flu NHS 111 calls ( <b>Figure 3</b> )	No trend	Above baseline
Cold/flu NHS 111 online ( <b>Figure 4</b> )	Decreasing	Below baseline
Fever NHS 111 calls ( <b>Figure 5</b> )	Increasing	Below baseline
Fever NHS 111 online ( <b>Figure 6</b> )	No trend	Below baseline
Cough NHS 111 calls ( <b>Figure 7</b> )	No trend	Below baseline
Cough NHS 111 online ( <b>Figure 8</b> )	No trend	Similar to baseline
Difficulty breathing NHS 111 calls ( <b>Figure 9</b> )	No trend	Similar to baseline
Difficulty breathing NHS 111 online ( <b>Figure 10</b> )	Decreasing	Below baseline
Sore throat NHS 111 calls ( <b>Figure 11</b> )	No trend	Above baseline
Sore throat NHS 111 online ( <b>Figure 12</b> )	No trend	Above baseline
Potential COVID-19 NHS 111 calls ( <b>Figure 13</b> )	No trend	No baseline
Potential COVID-19 NHS 111 online ( <b>Figure 14</b> )	No trend	No baseline
Diarrhoea NHS 111 calls ( <b>Figure 15</b> )	No trend	Similar to baseline
Diarrhoea NHS 111 online ( <b>Figure 16</b> )	Decreasing	Above baseline
Vomiting NHS 111 calls ( <b>Figure 17</b> )	No trend	Similar to baseline
Vomiting NHS 111 online ( <b>Figure 18</b> )	Decreasing	Above baseline
Eye problems NHS 111 calls ( <b>Figure 19</b> )	No trend	Below baseline
Eye problems NHS 111 online ( <b>Figure 20</b> )	No trend	Above baseline

<sup>1</sup> trend reports on the trend seen over most recent and earlier weeks

# Contents

Key messages .....	2
Syndromic indicators at a glance .....	2
Contents .....	3
About this syndromic surveillance system .....	5
Total contacts .....	6
NHS 111 calls .....	6
NHS 111 online .....	8
Respiratory conditions .....	10
Cold/flu NHS 111 calls .....	10
Cold/flu NHS 111 online .....	12
Fever NHS 111 calls .....	14
Fever NHS 111 online .....	16
Cough NHS 111 calls .....	18
Cough NHS 111 online .....	20
Difficulty breathing NHS 111 calls .....	22
Difficulty breathing NHS 111 online .....	24
Sore throat NHS 111 calls .....	26
Sore throat NHS 111 online .....	28
Potential COVID-19 NHS 111 calls .....	30
Potential COVID-19 NHS 111 online .....	32
Gastrointestinal conditions .....	34
Diarrhoea NHS 111 calls .....	34
Diarrhoea NHS 111 online .....	36
Vomiting NHS 111 calls .....	38
Vomiting NHS 111 online .....	40
Seasonal environmental conditions .....	42
Eye problems NHS 111 calls .....	43
Eye problems NHS 111 online .....	45
Notes and caveats .....	47

COVID-19 syndromic surveillance ..... 47

Acknowledgements ..... 49

About the UK Health Security Agency ..... 50

## About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) remote health advice syndromic surveillance system.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see **Notes and caveats**)
- compare levels between age groups/areas

Fully anonymised, daily NHS 111 call and NHS 111 online assessment data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as cold/flu, fever and diarrhoea
- syndromic indicators are based on:
  - symptoms (known as the Pathway) identified from both NHS 111 calls and NHS 111 online assessments
  - the potential COVID-19 syndromic indicator is based on the outcome (known as the Disposition), rather than the Pathway
- **Key messages** describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in **Table 1**
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
  - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
  - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the **Notes and caveats** section.

Previous weekly bulletins from this system are available [here](#).



### Data quality issues of note this week

Nothing of note.

# Total contacts


## NHS 111 calls

**Figure 1: Daily number of NHS 111 calls (with 7-day moving average adjusted for bank holidays) recorded in this syndromic surveillance system in England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

NHS 111 calls: total calls by region 16/05/2021 to 15/05/2022





**Table 2: The number of NHS 111 calls in England recorded each day in the most recent week.**

Date	Number of calls
09 May 2022	45,332
10 May 2022	42,682
11 May 2022	40,965
12 May 2022	38,244
13 May 2022	38,911
14 May 2022	57,365
15 May 2022	54,698

## NHS 111 online


**Figure 2: Daily number of completed NHS 111 online assessments (with 7-day moving average adjusted for bank holidays) recorded in this syndromic surveillance system in England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)

NHS 111 online: total assessments by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

**Table 3: The number of completed NHS 111 online assessments in England recorded each day in the most recent week.**


Date	Number of completed assessments
09 May 2022	22,428
10 May 2022	20,285
11 May 2022	19,482
12 May 2022	17,447
13 May 2022	17,450
14 May 2022	20,378
15 May 2022	23,233

# Respiratory conditions


## Cold/flu NHS 111 calls

**Figure 3: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for cold/flu, England (a) nationally, (b) by age and (c) by UKHSA Region.**

(a)




(b)



(c)



NHS 111 calls: cold or flu by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


## Cold/flu NHS 111 online

**Figure 4: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for cold/flu, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

NHS 111 online: cold or flu by region 16/05/2021 to 15/05/2022





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.

Black line is 7 day moving average adjusted for bank holidays.


Black dotted line is baseline.

## Fever NHS 111 calls

**Figure 5: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for fever, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

## Fever NHS 111 online


**Figure 6: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for fever, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)



NHS 111 online: fever by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


## Cough NHS 111 calls

**Figure 7: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for cough, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

NHS 111 calls: cough by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.


Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline.


## Cough NHS 111 online

**Figure 8: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for cough, England (a) nationally, (b) by age and (c) by UKHSA Region.**

(a)




(b)



(c)

NHS 111 online: cough by region 16/05/2021 to 15/05/2022





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.

Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline.


# Difficulty breathing NHS 111 calls

**Figure 9: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for difficulty breathing, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



NHS 111 calls: difficulty breathing by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

## Difficulty breathing NHS 111 online


**Figure 10: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for difficulty breathing, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)



NHS 111 online: difficulty breathing by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


## Sore throat NHS 111 calls

**Figure 11: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for sore throat, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



NHS 111 calls: sore throat by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


## Sore throat NHS 111 online

**Figure 12: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for sore throat, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



NHS 111 online: sore throat by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


## Potential COVID-19 NHS 111 calls

**Figure 13: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for potential COVID-19, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



NHS 111 calls: potential covid-19 by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

## Potential COVID-19 NHS 111 online


**Figure 14: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for potential COVID-19, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)

NHS 111 online: potential covid-19 by region 16/05/2021 to 15/05/2022





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Gastrointestinal conditions


## Diarrhoea NHS 111 calls

**Figure 15: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for diarrhoea, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



NHS 111 calls: diarrhoea by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


## Diarrhoea NHS 111 online

**Figure 16: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for diarrhoea, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



NHS 111 online: diarrhoea by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


## Vomiting NHS 111 calls

**Figure 17: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for vomiting, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



NHS 111 calls: vomiting by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

## Vomiting NHS 111 online


**Figure 18: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for vomiting, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)

NHS 111 online: vomiting by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

## Seasonal environmental conditions

During set periods of the year the Met Office operates both heat and cold weather watch systems, in association with UKHSA. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

[Cold weather alert](#) period: 1 November to 31 March



[Heat-Health Alert](#) period: 1 June to 15 September

Highest weather alert level during the current reporting week:

***Level 0 – Long-term planning***


## Eye problems NHS 111 calls

**Figure 19: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for eye problems, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

NHS 111 calls: eye problems by region 16/05/2021 to 15/05/2022





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.

Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline.


## Eye problems NHS 111 online

**Figure 20: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for eye problems, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

NHS 111 online: eye problems by region 16/05/2021 to 15/05/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.

Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline.

## Notes and caveats

The following additional caveats apply to the UKHSA remote health advice syndromic surveillance system:

- all NHS 111 syndromic trends should be interpreted with caution due to changes in national advice and guidance regarding access to health care services as well as updates and changes to service provision during the COVID-19 pandemic
- data presented should be used to monitor trends rather than numbers of ‘cases’:
  - NHS 111 calls data may not include the most urgent calls which are rapidly redirected to ambulance services
  - any user that launches an online assessment may access the service multiple times and can change their answers and follow multiple journeys through the online system: only complete assessments are included here
  - an individual may use both the NHS 111 online and NHS 111 telephony services; counts from the two services cannot be considered as distinct counts of individuals
  - NHS 111 online assessment data does not include children under 5 years of age
- baselines:
  - were last remodelled May 2021
  - are constructed from historical data since January 2018
  - represent seasonally expected levels of activity
  - take account of any known substantial changes in data collection, population coverage or reporting practices
    - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
  - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which affect NHS 111 usage
- as NHS 111 systems evolve to meet service needs, we continue to work with NHS 111 and NHS England to ensure that:
  - changes impacting on syndromic indicators reported in this bulletin are identified and accounted for as far as possible
  - changes are described in: **Data quality issues of note this week**
- further information about NHS 111 can be found [here](#)

## COVID-19 syndromic surveillance

The ‘potential COVID-19’ syndromic indicator reported here for all NHS 111 data is based on the outcome of each call or online assessment (known as the disposition), not the symptom (Pathway) selected:

- potential COVID-19 is the only syndromic indicator which is based on disposition

- potential COVID-19 calls and online assessments may therefore also appear in other syndromic indicators based on the Pathway of each call or online assessment
- these data are based on potential COVID-19 symptoms reported and are not based on outcomes of tests for coronavirus



## Acknowledgements

We are grateful to NHS 111 and to NHS Digital for their assistance and support in providing the anonymised data that underpin this system.

# About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation health secure.

UKHSA is an executive agency, sponsored by the Department of Health and Social Care.

[www.gov.uk/government/organisations/uk-health-security-agency](https://www.gov.uk/government/organisations/uk-health-security-agency)

© Crown copyright 2022  
Version: RHA-2

Prepared by: Real-time Syndromic Surveillance Team  
For queries relating to this document, please contact: [syndromic.surveillance@phe.gov.uk](mailto:syndromic.surveillance@phe.gov.uk)

Published: May 2022



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit [OGL](https://www.ogp.gov.uk). Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN  
Sustainable Development Goals

